

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/721,048	11/20/2003	Steven Edward Klein	TUC920030150US1	5002
	7590 10/30/200 YNES & VICTOR, LL	EXAMINER		
ATTN: IBM37	•	KIM, JUNG W		
315 SOUTH BEVERLY DRIVE, SUITE 210 BEVERLY HILLS, CA 90212		11E 210	ART UNIT	PAPER NUMBER
			2132	
			MAIL DATE	DELIVERY MODE
•			10/30/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		mN		
1	Application No.	Applicant(s)		
Office Action Cummons	10/721,048	KLEIN ET AL.		
Office Action Summary	Examiner	Art Unit		
	Jung Kim	2132		
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the	e correspondence address		
A SHORTENED STATUTORY PERIOD FOR REPL' WHICHEVER IS LONGER, FROM THE MAILING D.  - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be will apply and will expire SIX (6) MONTHS from the cause the application to become ABANDO	ON. timely filed om the mailing date of this communication. NED (35 U.S.C. § 133).		
Status				
1)⊠ Responsive to communication(s) filed on <u>06 S</u>	eptember 2007.			
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice under E	Ex parte Quayle, 1935 C.D. 11,	453 O.G. 213.		
Disposition of Claims				
4)⊠ Claim(s) <u>1-30</u> is/are pending in the application				
4a) Of the above claim(s) is/are withdra				
5) Claim(s) is/are allowed.	•			
6)⊠ Claim(s) <u>1,3,5-7,9-11,13,15-17,19-21,23,25-2</u>	7,29 and 30 is/are rejected.			
7) Claim(s) <u>2,4,8,12,14,18,22,24 and 28</u> is/are ob	pjected to.			
8) Claim(s) are subject to restriction and/o	r election requirement.			
Application Papers				
9) The specification is objected to by the Examine	er.			
10) The drawing(s) filed on is/are: a) acc	epted or b) objected to by th	e Examiner.		
Applicant may not request that any objection to the	drawing(s) be held in abeyance.	See 37 CFR 1.85(a).		
Replacement drawing sheet(s) including the correct	tion is required if the drawing(s) is	objected to. See 37 CFR 1.121(d).		
11)☐ The oath or declaration is objected to by the Ex	kaminer. Note the attached Offi	ce Action or form PTO-152.		
Priority under 35 U.S.C. § 119				
12) ☐ Acknowledgment is made of a claim for foreign a) ☐ All b) ☐ Some * c) ☐ None of:	priority under 35 U.S.C. § 119	(a)-(d) or (f).		
1. Certified copies of the priority document	s have been received.			
2. Certified copies of the priority document	s have been received in Applic	ation No		
<ol><li>Copies of the certified copies of the prior</li></ol>	rity documents have been rece	ived in this National Stage		
application from the International Burea	•			
* See the attached detailed Office action for a list	of the certified copies not rece	ived.		
		•		
Attachment(s)	4\ \tag{1} \begin{array}{c} array	on (PTO 413)		
Notice of References Cited (PTO-892)     Notice of Draftsperson's Patent Drawing Review (PTO-948)	4) Linterview Summa Paper No(s)/Mail	Date		
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	5) Notice of Informa 6) Other:	al Patent Application		

Art Unit: 2132

### **DETAILED ACTION**

- 1. This Office action is in response to the amendment filed on 9/6/07.
- 2. Claims 1-30 are pending.

### Response to Amendment

3. The 101 rejections of claims 21-30 are withdrawn as the amendment overcomes the 101 rejections.

# Response to Arguments

- 4. Applicant's arguments with respect to the prior art rejections have been fully considered but they are not persuasive.
- 5. With respect to applicant's arguments that McCarty does not disclose the limitations of claims 1, 11 and 21, specifically, that McCarty does not disclose that the another application layer login from the second port to the first port to establish a second data path is subsequent to the sending of the application layer login from the first port to the second port, applicant's argument is not persuasive. McCarty expressly discloses bidirectional communication between two initiators in a computer system compatible with the Fibre Channel Protocol. (col. 8:31-34; 8:41-9:32) In McCarty's invention, one of the two initiators first sends a link layer login from a first port to a second port (PLOGI)(by virtue of one of the initiators initiating communications before the other initiator); and subsequent to the link layer login, the one of the two initiators

Page 2

Application/Control Number: 10/721,048 Page 3

Art Unit: 2132

sends an application layer login from the first port to the second port to establish a first data path (PRLI). The second initiator subsequently sends a link layer login and then an application layer login from the second port to the first port to establish a second data path. McCarty, ibid. Hence, McCarty anticipates the limitations of claims 1, 11 and 21.

- 6. With respect to applicant's arguments that McCarty does not disclose the limitations of claims 6, 16 and 26, applicant's arguments are not persuasive. As indicated above, McCarty discloses bidirectional communication between two initiators. (col. 8:31-34) In the invention of McCarty, a table at each initiator stores message type information to isolate the different response messages received from various other nodes. (fig. 4) Further, in a complete communication cycle between two initiators, each initiator establishes a first data path (plogi, prli), each initiator makes a determination that a data path is established between the other initiator and itself (communication on the data path), and following the determination, each initiator subsequently terminates their respective data path by sending an application layer logout (prlo). Hence, McCarty anticipates the limitations of claims 6, 16 and 26.
- 7. For these reasons, application's arguments are not persuasive and claims 1, 3, 5-7, 9-11, 13, 15-17, 19-21, 23, 25-27, 29 and 30 remain rejected as being anticipated by McCarty.

Claim Rejections - 35 USC § 102

Application/Control Number: 10/721,048 Page 4

Art Unit: 2132

8. Claims 1, 3, 5-7, 9-11, 13, 15-17, 19-21, 23, 25-27, 29 and 30 are rejected under 35 U.S.C. 102(b) as being anticipated by McCarty USPN 6,014,383 (hereinafter McCarty).

- 9. As per claim 11, McCarty discloses a system, comprising: a first port; a second port coupled to the first port (fig. 4, reference nos. 510 and 515); means for sending a link layer login from the first port to the second port (7:64-67; 8:22-23; 9:41-42); means for sending an application layer login from the first port to the second port to establish a first data path, wherein the first data path is from the first port to the second port (8:22-26); and means for sending another application layer login from the second port to the first port to establish a second data path, wherein the second data path is from the second port to the first port to the first port. (8:22-26; 9:3-5 and lines 42-45)
- 10. As per claim 13, McCarty discloses the system further comprising: means for restricting the second port to sending the another application layer login to the first port in response to determining that the second port has an initiated link layer login to the first port, wherein restricting the second port causes a retention of the established first data path from the first port to the second port, and wherein restricting the second port and sending the another application layer login causes bidirectional data transfer to take place between the first and second ports.

Art Unit: 2132

- 11. As per claim 15, McCarty discloses the system further comprising: a first fibre channel adapter coupled to the first port; a second fibre channel adapter coupled to the second port; a first storage unit coupled to the first fibre channel adapter; a second storage unit coupled to the second fibre channel adapter; one fibre channel link coupling the first port and second port, wherein the one fibre channel link is associated with the first and second data paths; and one or more bidirectional data transfer applications that are implemented in the first and second fibre channel adapters, wherein the one or more bidirectional data transfer applications may perform sending the link layer login, the application layer login, and the another application layer login. (fig. 3b and 4; col. 5:54-67; 6:41-65; 8:21-41)
- 12. As per claim 16, McCarty discloses a system, comprising: a first port; a second port coupled to the first port (fig. 4, reference nos. 510 and 515); means for establishing a first data path from the first port to the second port (col. 8:22-40); means for determining, at the first port, whether the second port has a second data path established from the second port to the first port (fig. 4, reference no. 512 and 517); means for sending an application layer logout, from the first port to the second port, in response to determining that the second port has the second data path established from the second port to the first port (col. 7:67-8:1; 8:3; 9:41-44); and means for terminating the first data path from the first port to the second port in response to receiving the application layer logout at the second port. (9:46-53)

Art Unit: 2132

13. As per claim 17, McCarty discloses wherein terminating the first data path from the first port to the second port does not terminate the second data path from the second port to the first port. Col. 9:42-45.

Page 6

- 14. As per claim 19, McCarty discloses the system further comprising: a first fibre channel adapter coupled to the first port; a second fibre channel adapter coupled to the second port; a first storage unit coupled to the first fibre channel adapter; a second storage unit coupled to the second fibre channel adapter; one fibre channel link coupling the first port and second port, wherein the one fibre channel link associated with the first and second data paths; and one or more bidirectional data transfer applications that are implemented in the first and second fibre channel adapters, wherein the one or more bidirectional data transfer applications may perform establishing the first data path, determining whether the second port has a second data path established, sending an application layer logout, and terminating the first data path. (fig. 3b and 4; col. 5:54-67; 6:41-65; 8:21-41)
- 15. As per claim 20, McCarty discloses wherein the application level logout is sent via an application level logout frame, and wherein the first and second ports are capable of sending and receiving a link level login frame, a link level logout frame, an application level login frame and the application level logout frame over a fibre channel connection coupling the first and second ports. (col. 7:60-8:4; 9:33-53)

Art Unit: 2132

16. As per claim 21, McCarty discloses an article of manufacture, wherein the article of manufacture is capable of causing operations, the operations comprising: sending a link layer login from a first port to a second port (7:64-67; 8:22-23; 9:41-42); subsequently, sending an application layer login from the first port to the second port to establish a first data path, wherein the first data path is from the first port to the second port (8:22-26); and subsequently, sending another application layer login from the second port to the first port to establish a second data path, wherein the second data path is from the second port to the first port to the first port. (8:22-26; 9:3-5 and lines 42-45)

Page 7

- 17. As per claim 23, McCarty discloses the operations further comprising: restricting the second port to sending the another application layer login to the first port in response to determining that the second port has an initiated link layer login to the first port, wherein restricting the second port causes a retention of the established first data path from the first port to the second port, and wherein restricting the second port and sending the another application layer login causes bidirectional data transfer to take place between the first and second ports. (col. 8:18-28 and lines 32-33; 8:41-9:31, 9:42-45)
- 18. As per claim 25, McCarty discloses the operations further comprising: wherein the operations are performed by one or more bidirectional data transfer applications that are implemented in first and second fibre channel adapters coupled to the first and second ports respectively, wherein the first and second fibre channel adapters are

Art Unit: 2132

coupled to first and second storage controllers respectively, and wherein the first and second ports are coupled via one fibre channel link associated with the first and second data paths. (fig. 3b and 4; col. 5:54-67; 6:41-65; 8:21-41)

- 19. As per claim 26, McCarty discloses an article of manufacture, wherein the article of manufacture is capable of causing operations, the operations comprising: establishing a first data path from a first port to a second port (col. 8:22-40); determining, at the first port, whether the second port has a second data path established from the second port to the first port (fig. 4, reference no. 512 and 517); sending an application layer logout, from the first port to the second port, in response to determining that the second port has the second data path established from the second port to the first port (col. 7:67-8:1; 8:3; 9:41-44); and terminating the first data path from the first port to the second port in response to receiving the application layer logout at the second port. (9:46-53)
- 20. As per claim 27, McCarty discloses wherein terminating the first data path from the first port to the second port does not terminate the second data path from the second port to the first port. Col. 9:42-45.
- 21. As per claim 29, McCarty discloses wherein the operations are performed by one or more bidirectional data transfer applications that are implemented in first and second fibre channel adapters coupled to the first and second ports respectively, wherein the

Art Unit: 2132

first and second fibre channel adapters are coupled to first and second storage controllers respectively, and wherein the first and second ports are coupled via one fibre channel link associated with the first and second data paths. (fig. 3b and 4; col. 5:54-67; 6:41-65; 8:21-41)

Page 9

- 22. As per claim 30, McCarty discloses wherein the application level logout is sent via an application level logout frame, and wherein the first and second ports are capable of sending and receiving a link level login frame, a link level logout frame, an application level login frame and the application level logout frame over a fibre channel connection coupling the first and second ports. (col. 7:60-8:4; 9:33-53)
- 23. As per claims 1, 3, 5-7, 9 and 10, they are method claims corresponding to claims 11, 13, 15-17, 19-21, 23, 25-27, 29 and 30, and they do not teach or define above the information claimed in claims 11, 13, 15-17, 19-21, 23, 25-27, 29 and 30. Therefore, claims 1, 3, 5-7, 9 and 10 are rejected as being anticipated by McCarty for the same reasons set forth in the rejections of claims 11, 13, 15-17, 19-21, 23, 25-27, 29 and 30.

#### Allowable Subject Matter

24. Claims 2, 4, 8, 12, 14, 18, 22, 24 and 28 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Application/Control Number: 10/721,048 Page 10

Art Unit: 2132

#### Conclusion

25. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

## Communications Inquiry

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jung W. Kim whose telephone number is 571-272-3804. The examiner can normally be reached on M-F 9:00-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gilberto Barron can be reached on 571-272-3799. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2132

Page 11

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jung Kim

Examiner AU 2132

GILBERTO BARRON

SUPERVISORY PATENT EXAMINE
TECHNOLOGY CENTER 2100